



RENTAL CATALOG



ALTORFER CAT TOTAL RENTAL SOLUTIONS



www.althorfer.com

We've Got You Covered

As a multi-generational, family-owned business, we take a lot of pride in our organization and the products we offer, but ultimately, we exist to serve our customers. Every member of our team works together to meet all your construction, power, and agriculture equipment needs, taking a 'can do' attitude and seeing it through until it's done. We stand by our products and workmanship, and above all else, we "tell it like it is."



INDUSTRY LEADING FLEET AGE
LESS THAN 34 MONTHS AVG.



NEARLY **500**
SERVICE
TECHNICIANS



- OVER -
\$38,000,000
IN PARTS INVENTORY



24/7 SUPPORT



OVER **5,700**
ITEMS
FOR RENT



INCLUDING OVER **2,100**
WORK TOOL
ATTACHMENTS



NATIONWIDE SUPPORT CAPABILITIES
CAT RENTAL NATIONAL ACCOUNT PROGRAM

Limiting your downtime and expenses results in gains when it comes to productivity and profit. That's why companies and contractors choose to rent from Altorfer Cat.

COMPACT TRACK LOADERS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	OPERATING CAPACITY (LB)*
239	67.1	7,289	2,050
249	67.1	7,658	2,300
259	74.3	8,945	2,900
279	74.3	9,893	2,935
289	74.3	10,533	3,800
289 XPS	74.3	10,533	3,800
299	95	11,275	4,600
299 XPS	106	11,275	4,600
299 XHP	106	11,608	4,725

* At 50% tipping load



SKID STEER LOADERS

MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	OPERATING CAPACITY (LB)
226	67.1	5,705	1,550
232	67.1	6,213	1,850
236	74.3	6,559	1,800
242	74.3	6,980	2,150
246	74.3	7,424	2,150
262	74.3	8,011	2,700
262 HF	74.3	8,011	2,700
272	95	8,768	3,400
272 HF	106	9,255	3,650

AVAILABLE WORK TOOLS & ATTACHMENTS:

- Pick Up Broom
- Angle Broom
- Pallet Forks
- Post Hole Auger
- Auger Bits 6" - 36"
- Auger Extensions 12" - 72"
- Grapple Bucket
- Skeleton Bucket
- Root Rake
- Landscape Rake
- Landscape Tiller
- Hydraulic Breaker
- Drop Hammer
- Mulcher, High Flow
- Brush Cutter, Standard/High Flow
- Stump Grinder
- Dozer Blade, 6-Way
- Laser Grade Box
- Vibratory Roller
- Concrete Chute
- Snow Blade
- Snow Pusher

HYDRAULIC EXCAVATORS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	MAX REACH / DEPTH FT - IN
311	74	28,660	26'7"/18'4"
313	100	33,080	27'0"/19'4"
314	100	32,600	28'6"/19'6"
315	100	37,794	28'6"/19'6"
316	122	39,029	28'10"/20'0"
318	122	42,340	28'10"/20'0"
320	164	49,600	32'5"/22'1"
321	164	53,704	32'1"/22'0"
323	164	56,200	32'5"/22'1"
324	164	64,990	33'2"/22'0"
325	164	57,100	32'1"/22'0"
326	202	66,250	22'4"/33'2"
328	204	46,500	34'8"/22'8"
329	239	69,958	35'0"/23'9"
330	273	69,950	35'0"/23'8"
335	204	84,170	34'11"/22'11"
336	314	81,900	38'6"/26'10"
349	396	107,145	38'6"/25'2"

AVAILABLE WORK TOOLS & ATTACHMENTS:

Model	
H95 Hammer (308)	1000 FT LB
H115 Hammer (314 / 316)	2500 FT LB
H120 Hammer (320 / 321)	3000 FT LB
H130 Hammer (329)	3500 FT LB
H140 Hammer (336 / 349)	7500 FT LB
H160 Hammer (349)	7500 FT LB
H180 Hammer (349)	12000 FT LB
G107 Grapple (308)	
G115 Grapple (316)	
G120 Grapple (320 / 321)	
G130 Grapple (336)	
CVP75 Vibratory Plate Compactor (314/315/316/318)	
CVP110 Vibratory Plate Compactor (320 / 321)	
MP30 Multiprocessor (336 / 349)	
Frost Ripper	
A26 Auger (308)	



When it comes to locating a reliable source for renting construction equipment, you'd be hard-pressed to find a more comprehensive and trustworthy rental supplier than your Altorfer Rental Store. At Altorfer Rents, you receive a superior rental experience because we take on a can-do attitude to find you the most efficient rental solution.

MINI HYDRAULIC EXCAVATORS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	MAX REACH / DEPTH FT - IN
300.9	18	2,061	10'1"/5'8"
300.9 VPS	18	2,399	9'11"/5'8"
301.7	24.3	3,810	12'9"/7'10"
302.7	24.3	5,890	15'10"/9'0"
303	24.8	7,204	16'6"/9'9"
304	41.8	8,996	16'6"/9'9"
305	41.8	11,443	19'7"/12'0"
307	53.1	16,028	20'8"/13'5"
308	74.3	18,519	24'9"/15'5"
309	74.3	20,731	22'9"/13'4"
310	74.3	22,447	25'1"/17'1"

AVAILABLE WORK TOOLS & ATTACHMENTS:

- Thumb
- Grapple
- Frost Ripper
- Mulcher
- Auger
- Hammer
- Extra Bucket
- Vibratory Plate Compactors

DOZERS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)
D4 XL	92	18,007
D4 LGP	92	16,686
D5 XL	104	20,313
D5 LGP	104	20,992
D6K LGP	130	30,664
D6K XL	130	29,258
D6N LGP	166	40,446
D6N XL	166	36,943
D6T LGP	215	51,385
D6T XW	215	48,909
D8T	354	87,600

AVAILABLE WORK TOOLS & ATTACHMENTS:

- AccuGrade Machine GPS
- Trimble GPS Base & Rover
- Complete GPS System



TRACK LOADERS

MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	BUCKET CAPACITY YD ³
953	154	33,852	2.4
963	193	44,771	3.2

BACKHOE LOADERS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	DIG DEPTH FT - IN
420	93	17,033	14'4"
430	108	17,141	15'5"

AVAILABLE WORK TOOLS & ATTACHMENTS:

- IT Fork
- Material Arm
- 8" Cribbing Bucket
- Hammer
- A26 Auger
- Thumb
- Frost Ripper
- Plate Compactor
- Angle Broom

WHEEL LOADERS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	BUCKET CAPACITY YD ³
906	74	12,346	1.2
908	74	14,032	1.4
918	113	21,082	2.5
IT14	98	18,362	1.6-1.8
924	142	28,360	2.5-6.5
926	153	28,770	2.5-6.5
930	164	30,879	2.7-6.5
938	188	32,216	3.3-6.5
950	230	42,357	3.3-12.0
980	386	66,337	5.25-16.0

ARTICULATED TRUCKS



MODEL	GROSS POWER HP	OPERATING WEIGHT EMPTY (LB)	BUCKET CAPACITY TONS
740	504	78,623	42

SOIL COMPACTORS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	BLADE WIDTH OVER END BITS FT-IN
815	248	49,353	12'4"

VIBRATORY SOIL COMPACTORS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	DRUM WIDTH IN
CS34	74	9,799	50"
CP34	75	11,000	50"
CS44	100.6	15,307	66"
CP44	100.6	15,935	66"
CS56	156	26,850	84"
CP56	156	26,731	84"

VIBRATORY ASPHALT COMPACTORS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	DRUM WIDTH IN
CB1.7	24.7	3,538	35"
CB1.8	24.7	3,825	39"
CB24	36.2	6,003	47"
CB34	48.8	8,157	51"
CB10	131	20,945	67"
CB13	142	28,440	79"
CB15	142	28,958	84"

WATER TRUCKS



CAPACITY

- 2,000 Gallon Capacity
- 4,000 Gallon Capacity

BROOMS



MODEL	BROOM WIDTH
Broce RCT350	8'

INDUSTRIAL/STRAIGHT MAST FORKLIFTS



MODEL	LIFT CAPACITY (LB)
Caterpillar 2C4000, GP20N, DP20N, EC4000	4,000
Caterpillar 2C5000, GP25N, DP25N, EC25N2	5,000
Caterpillar 2C6000, GP30N, DP30N, EC30N2	6,000
Caterpillar GC35K, GP35N, DP35N	7,000
Caterpillar GC40K, GP40N, DP40N	8,000
Caterpillar GC45K, GP50CN, DP50CN	10,000
Caterpillar GP50N, DP50N	11,000
Caterpillar GC55K, GP55N, DP55N	12,000
Caterpillar GC70K, DP70N1	15,500
Caterpillar DP150N2, Taylor X-330	33,000
Taylor X-360	36,000

PALLET JACKS



MODEL	LIFT CAPACITY
Caterpillar	5,500

TELEHANDLERS



MODEL	GROSS POWER HP	OPERATING WEIGHT (LB)	RATED CAPACITY (LB)	LIFT HEIGHT FT-IN
TH255	74	11,000	5,500	18'4"
TL642	100	22,002	6,500	42'0"
TL943	111	25,750	9,000	43'0"
TL1055	142.1	31,879	10,000	54'11"
TH514	100	26,211	11,000	45'7"
TL1255	142.1	34,361	12,000	54'7"
TH3510	142	20,170	7,700	32'
TH408	142	18,797	8,800	25'
GTH1544	154	36,601	15,000	44'0"
1644	134	33,660	15,650	43'0"
1732	134	31,145	16,755	31'8"

MINI SKID LOADERS



MODEL	LIFT CAPACITY (LB)	WEIGHT (LB)
Vermeer S450	500	2,430
Vermeer S925TX	925	3,465
Vermeer CTX100	1,035	3,515
Toro TX1000	1,075	2,860
Toro TX2000	2,000	6,690
Sherpa Electric	770	1,591

AVAILABLE WORK TOOLS & ATTACHMENTS:

- Auger
- Forks
- Smooth Bucket
- Tooth Bucket
- Skeleton Bucket
- Brush Grapple Bucket
- Level Best Grade Box
- Tiller
- Vibratory Roller
- Trencher
- Angle Broom
- Pick Up Broom
- Brush Mower
- Harley Rake
- Hammer
- Land Leveler
- Vibratory Cable Plow

JBSITE UTILITY COMPACTORS



MODEL	COMPACTION WIDTH (IN)	OPERATING WEIGHT (LB)
Rammax Trench Roller, Remote Controlled	33/24	3,263
Wacker WP1550 Plate Compactor	19.5	203
Wacker DPU 6555 Reversible Plate Compactor	28	1,060
Wacker BS50 Gas Rammer	11	143


ARTICULATING BOOM LIFTS, ELECTRIC

MODEL	MAX WORKING HEIGHT	MAX HORIZONTAL REACH	MAX PLATFORM WEIGHT CAPACITY
Genie Z30N	36'	21'5"	500 lbs
Skyjack SJ30	35'9"	20'6"	500 lbs
Genie Z33	39'4"	18'3"	440 lbs
Genie Z34	40' 6"	22'3"	500 lbs
Genie Z40	46' 5"	22' 8"	500 lbs
JLG E400AJ	40"	22'5"	500 lbs
Genie Z45E	51'9"	25'1"	500 lbs
Genie Z60 Hybrid	65'7"	36'7"	500 lbs




ARTICULATING BOOM LIFTS, IC

MODEL	MAX WORKING HEIGHT	MAX HORIZONTAL REACH	MAX PLATFORM WEIGHT CAPACITY
Genie Z34	40'6"	22'3"	500 lbs
JLG 340AJ	39'10"	19'11"	500 lbs
Genie Z45	51'10"	24'7"	500 lbs
JLG 450AJ	51'	25'	550 lbs
Genie Z60	66'4"	36'3"	500 lbs
JLG 600AJ	66'7"	39'9"	500 lbs
Genie Z80	84'	60'	500 lbs
JLG 800AJ	86'	51'10"	500 lbs
JLG 1250 AJ	131'	63'2"	1000 / 500 lbs
Genie Z135	141'	69' 9"	600 lbs



TELESCOPING BOOM LIFTS, IC

MODEL	MAX WORKING HEIGHT	MAX HORIZONTAL REACH	MAX PLATFORM WEIGHT CAPACITY
Genie S40	46'	31'8"	500 lbs
Genie S45	51'	36' 8"	500 lbs
JLG 460SJ	52'	39'	600 lbs
Genie S60	60'4"	50'10"	1000 / 500 lbs
Genie S65	71'	56'2"	1000 / 500 lbs
JLG 660SJ	71'8"	57'1"	750 / 550 lbs
Genie S80	86'	72'5"	500 lbs
Genie S85	91'	77'5"	500 lbs
Genie S85XC	91'	74'6"	1000 / 660 lbs
JLG 860SJ	92'6"	75'	750 / 500 lbs
Genie S125	131'	80'	500 lbs
JLG 1350SJ	141'	80'	1000 lbs
JLG 1500SJ	156'	80'	1000 lbs
JLG 660SJC, Steel Tracks	71'7"	57'1"	750 / 550 lbs



TRAILER MOUNTED BOOM LIFTS, DC

MODEL	LIFT HEIGHT	REACH
Genie TZ34	34"	18'4"
Genie TZ50	50'	29'2"



ELECTRIC SCISSOR LIFTS

MODEL	MAX WORKING HEIGHT	MAX PLATFORM WEIGHT CAPACITY
HB1030	16'	750 lbs
HB1430	20'	670 lbs
SJ3219	25'	550 lbs
SJ3220 Power Deck	26'	800 lbs
SJ3226	32'	500 lbs
SJ4626	32'	1,000 lbs
GS3232	38'	500 lbs
SJ4632	38'	700 lbs
GS4069	46'	800 lbs
GS4047	46'	550 lbs
SJ4740	46'	550 lbs



ROUGH TERRAIN SCISSOR LIFTS

MODEL	MAX WORKING HEIGHT	MAX PLATFORM WEIGHT CAPACITY
SJ6826RT	32'	1,200 lbs
SJ6832RT	38'	1,000 lbs
GS3394RT	39'	2,500 lbs
SJ7135RT	41'	1,000 lbs
SJ8841RT	47'	1,500 lbs
SJ9250RT	56'	2,000 lbs
GS5390RT	59'	1,500 lbs



VERTICAL PERSONNEL LIFTS

MODEL	MAX WORKING HEIGHT	LIFT CAPACITY	PLATFORM HEIGHT
AWP30	35'6"	350 lbs	29' 6"
AWP40	46'4"	300 lbs	40'4"
IWP30	35'6"	350 lbs	29'6"
SJ16	21'7"	500 lbs	15'7"
GR20	25'9"	350 lbs	19'9"
GR26J	31'11"	500 lbs	25'11"





PORTABLE AIR COMPRESSORS

AIR OUTPUT	AIR PRESSURE
185 cfm	100 psi
375 cfm	150 psi
375 cfm high pressure	200 psi
400 cfm	200 psi



PORTABLE WELDERS

MODEL	OUTPUT RANGE	POWER SOURCE
Miller Bobcat 250	250 amp	gas / LP
Miller CST280	280 amp	electric
Miller BB350 Pipe Pro	400 amp	diesel
Miller DUOP800 Dual Operator	800 amp	diesel



LIGHT TOWERS

MODEL	WATTS	LUMENS	HEIGHT / WINCH TYPE	POWER POWER
Generac PLT240 LED	235	122112	16' / Manual	120V
Allmand Nite Lite Pro V - LED	320	154000	29' / Electric	Diesel
Allmand Nite Lite Pro V - MH	1,250	542000	29' / Electric	Diesel
Allmand Nite Lite Pro II	1,250	542000	29' / Manual	Diesel
Multi Quip	400-	34000-	10' - 13' Mast	120V
Glo Bug Balloon Light	1,000	107000		



PORTABLE GENERATORS

MODEL	WATTS
Honda EU2000	2,000
Honda 6500	6,500
Cat RP7500E	7,500



PORTABLE TRASH PUMPS

MODEL
2" Submersible, Electric
2" Gas
3" Gas
4" Gas
4" Diesel, Towable
6" Diesel, Towable

CARRY DECK CRANES

MODEL	LIFT CAPACITY	REACH
Broderson IC35	8,000 lbs	27'
Broderson IC80	18,000 lbs	40'
Broderson IC200	30,000 lbs	66'
Broderson IC250	36,000 lbs	80'



PRESSURE WASHERS

PRODUCT
Cold 2700-5000 psi
Hot 3500 psi



UTILITY VEHICLES, ELECTRIC

MODEL
Taylor Dunn SS536, 3-wheel
Club Car XRT850
Taylor Dunn R380
Taylor Dunn B5-44 Bigfoot



UTILITY VEHICLES, GAS & DIESEL

PRODUCT
2WD 2-Passenger, Canopy
2WD 2-Passenger, Cab
4WD 2-Passenger, Canopy/Cab
4WD 4-Passenger, Canopy/Cab



Equipment rental from Altorfer can be the perfect short-term solution for your heavy construction equipment needs. You get the machine you need to complete that special project or perform a unique application without the expense of investing in new equipment.

CONCRETE EQUIPMENT



PRODUCT

- » 12"-14"-16" Handheld Cut Off Saws
- » Cut-n-Break Handheld Saw
- » 5hp Walk-behind Saw, 18" Blade Capacity
- » 13hp Walk-behind Saw, 18" Blade Capacity
- » 20hp Walk-behind Saw, 24" Blade Capacity
- » 74hp Walk-behind Saw, 36" Blade Capacity
- » Core Drill, Handheld
- » Core Drill, Stand Mounted w/ Vac
- » Concrete Buggy, Rubber Tire, 10 cu./ft. Electric
- » Concrete Buggy, Rubber Tire, 16"/21" cu./ft.
- » Concrete Buggy, Rubber Track, 16 cu./ft.
- » Mortar Mixer, 8 cu./ft.
- » Concrete Floor Grinder
- » Concrete Scarifier

SWEEPERS & SCRUBBERS



MODEL

- Ride On Sweeper
- Ride On Scrubber
- Walk behind Scrubber

TRENCH SAFETY



PRODUCT

- » Steel Trench Boxes
- » Aluminum Trench Boxes
- » Manhole Boxes
- » Manhole Blower Fan
- » Bedding Boxes

MISCELLANEOUS EQUIPMENT

PRODUCT

- » Ride On Trenchers w/ Backhoe
- » Walk behind Trenchers w/ Trailer
- » Brush Chipper, 12" Towable
- » Stump Grinder w/ Trailer
- » Laser Levels
- » Pipe Lasers
- » Scaffolding
- » Dehumidifiers
- » Ride On Floor Scraper
- » Walk Behind Floor Scraper
- » Dump Trailer



Cat Rental Store offers a full line of Caterpillar and other brand-name equipment. Cat certified technicians make sure every piece of equipment we rent is ready to work when you are. Altorfer Cat experienced rental specialists will match your job specs precisely with the machines, work tools and power products you need to get the job done.



AIR CONDITIONERS



AIR CONDITIONING UNIT – 1-5 Ton

SIZE	1 Ton	1.5 Ton	5 Ton
Length/Width/Height	26"x20"x34"	29"x28"x41"	42"x30"x70"
Cooling Capacity: BTU/HR	14,000	18,000	78,000
Power Supply: Volts/Hertz/Phase/Amps	115/60/1/15	115/60/1/15	230/60/1/60
Total Power Consumption	1.3 kW	1.4 kW	8.7 kW
Current Consumption	11.7	12.0	37.8
NEMA Plug Type	5-15P	5-15P	Wired
Evaporator CFM	350	600	2,300
Condenser CFM	500	1,000	3,900
Maximum Duct Length	40'	40'	40'
Operating Limits (min. – max.)	65-105 °F	65-110 °F	65-110 °F
Net Weight	160 lbs	230 lbs	650 lbs

AIR CONDITIONING UNIT – 12 Ton

SIZE	12 Ton
Length/Width/Height	64" x 44" x 67.5"
Total Shipping Weight	1,200 lbs
Duct Connections	13.75"
Filters (reusable)	2" x 15" x 20" (4)
Power Supply	230 or 480 volt / 3 Phase / 60 HZ w/ ground



HEATERS

ELECTRIC HEATER – 15 kW - 30 kW

MODEL	15 kW	30 kW
BTU	51,195	102,390
kW	15	30
Volts	240	480
Phase	3	3
Amps	36	36
Temp Rise	45° F	90° F
Weight	65 lbs	72 lbs



ELECTRIC HEATER – 150 kW

MODEL	150 kW ELECTRIC HEATER
Dimensions (LxWxH)	94" x 33" x 60"
Weight	2,000 lbs
Electrical Data	460 volt / 3 phase / 60 Hertz 225 amp 600 volt single pole mount receptacles 185 FLA



AIR CONDITIONING UNIT – 20 Ton

SIZE	12 Ton
Length/Width/Height	98" x 36" x 102"
Total Shipping Weight	2,700 lbs
Duct Connections	19.25" (2) on top or wall mount connection
Power Supply	480 volt / 3 Phase / 60 HZ with ground



AIR CONDITIONING UNIT – 30 Ton

SIZE	30 Ton
Length/Width/Height	8' x 5'5" x 8'
Total Shipping Weight	4,900 lbs
Duct Connections	19"
Filters (reusable)	2" (30% efficient) 20x20 (6)
Power Supply	460 volt / 3 Phase / 60 HZ with ground



AIR CONDITIONING UNIT - 80 Ton

SIZE	80 Ton
Length/Width/Height	14'9" x 8' x 9'2"
Total Shipping Weight	11,203 lbs
Duct Connections	19.2"
Filters (reusable)	2" (30% efficient)
Power Supply	460 volt / 3 Phase / 60 HZ with ground



GROUND HEATER – Thawzall TCH250

MODEL	HeatZone TCH250
Thaw (Frozen Ground)	3,000 - 6,000 sq ft
Cure (Concrete)	6,000 - 18,000 sq ft
Heat (Building)	400,000 sq ft
Frost (Prevention)	9,000 - 27,000 sq ft
Input/Output	280 / 234 MBH*
Operating Temperature	70 - 200° F
Fuel Consumption	1.75 gph
Run Time	3+ days
Pump Capacity	30 / 1800 gpm/gph
Dimensions (LxWxH)	170" x 84" x 95"
Weight (w/ Fuel & Fluid)	5,600 lbs
Fuel Capacity	160 gal
HTF (Heat Transfer Fluid)	122 gal
Fuel Type	Winter blend diesel or #1 fuel oil



HEATERS CONTINUED

INSERO HEATER – HT1010C

MODEL	HT1010C
Number of Burners	Two
Heat Output (each)	505,000 BTU
Air Flow (each)	3,250 CFM (1.5 m ³ /sec)
Discharge Air Temp	185° F (85° C)
Max Duct Length	110 ft (88.4 m)
Total Heat Output	1,010,000 BTUs
Engine Type	Cat C1.5 Diesel
Displacement	1.5 L
Aspiration	Naturally aspirated
HP	22 HP / 1,800 RPM (16 kW)
Emissions Compliance	Tier 4 Interim
Dimensions (LxWxH)	15.5' x 7.1' x 7.6'
Weight Wet	6,500 lbs Dry; 5,100 lbs

ACCESSORIES – TEMPERATURE CONTROL

- Air Boxes
- Air Handlers
- Chillers
- Chiller Hose (Air Cooled / Water Cooled)
- Cooling Towers
- Desiccant Dehumidifiers
- Electric HVAC Pumps
- Flexible Duct

AIR COMPRESSORS

PORTABLE DIESEL AIR COMPRESSORS – 375 - 1600 CFM

MODEL	AIR OUTPUT	RATED PRESSURE	WORKING WEIGHT	DIMENSIONS (W x H x L)	FUEL TANK CAPACITY	FUEL CONSUMPTION
Sullair 375 HAF	375 cfm	150 psig	4,420 lbs	6' 4" x 6' 1" x 13'	56 gal	6.45 gph
Sullair 750 HAF	750 cfm	150 psig	10,600 lbs	7' 2" x 6' 9" x 15' 9"	120 gal	11.6 gph
Sullair 900 HAF	900 cfm	150 psig	10,600 lbs	7' 2" x 6' 9" x 15' 9"	120 gal	12.7 gph
Sullair 900 XHH	900 cfm 1500 cfm	350 psig 500 psig	16,040 lbs	7' 3" x 7' 6" x 20'	245 gal	24.8 gph
Sullair 900 XHH	1600 cfm	150 psig	16,620 lbs	7' 3" x 7' 7" x 20'	190 gal	24.8 gph

PORTABLE ELECTRIC AIR COMPRESSORS

MODEL	AIR OUTPUT	RATED PRESSURE	WORKING WEIGHT	DIMENSIONS (W x H x L)
Sullair TSR-20	380 – 970 acfm range	100 – 175 psig range	11,600 lbs	6'1" x 7' 1" x 13'
Sullair E900 H	900 acfm	80 – 150 psig range	10,000 bs	7' x 8' x 16'
Sullair TSR-32	784 – 1600 acfm range	100 – 175 psig range	19,900 lbs	7' x 8'6" x 18'3"



MAXI-HEAT® – MH1000

MODEL	HT1010C
Engine	Caterpillar C1.5 T4F liquid-cooled
Starting	12-V electrical-group 8D battery Glow plugs starting assist
Fuel Capacity	250 gallons: 2-191.1 gallon tanks for each heater and 1-50 gallon tank
Operating Time	More than 24 hrs without refueling
Heater	Two I.C.E. Frost Fighter OHV 500 indirect fired heating units, 500,000 BTU/HR* One, 16" duct flange per heater unit Optional flexible ducting easily connects to heater output flanges
Heated Air Output	Total of 5,600 cfm from twin fans
Temperature Rise	180° F with duct creating 0.5-in. static pressure
Trailer	Heavy-gauge steel enclosure Lockable access doors 5,000 lb leaf spring axle with 15" wheels & tires Safety chains Adjustable height, reversible 2" ball and 3" diameter pintle hitch Front and rear screw jacks Hour meter Interior compartment light Turn signals, brake and tail lights
Dimensions (L x W x H)	16' x 6' 8" x 6'
Weight	3,500 lbs empty, 4,651 lbs with fuel





COMPRESSED AIR HOSES

SIZE	TYPE	LENGTH
3"	150 psi	25 – 50'
4"	150 psi	25 – 50'



AIR COMPRESSOR FITTINGS

3/4" CHICAGO FITTING	2" 4 PRONG FITTING	2" & 3" BOSS FITTING	3/4", 2", 3" NPT FITTING
			



DIESEL POWER PORTABLE GENERATORS - 20 KW - 2000 KW

MODEL	STANDBY RATING	PRIME RATING	VOLTAGE	PRIME RUN TIME (full load)	FUEL TANK CAPACITY	ENGINE	DIMENSIONS (W x H x L w/Trailer)	WEIGHT (w/Fuel, Lube Oil, Coolant, and Trailer)
20	20 kW	18 kW	208 to 480 Volts	29+ Hrs	45 gal	C2.2	6" x 6' 0" x 11' 3"	3,084 lbs
30	30 kW	27 kW	208 to 480 Volts	33+ Hrs	77 gal	C2.2 ATAAC	6' 5" x 6' 9" x 12' 4"	4,753 lbs
45	45 kW	41 kW	208 to 480 Volts	41+ Hrs	157 gal	C4.4 Turbo	6' 5" x 7' 1" x 15' 3"	6,711 lbs
60	60 kW	54 kW	208 to 480 Volts	32+ Hrs	157 gal	C4.4 Turbo	6' 5" x 7' 1" x 15' 3"	6,980 lbs
80	80 kW	70 kW	208 to 480 Volts	34 Hrs	167 gal	C4.4 Turbo	6' 5" x 8' 6" x 16' 3"	8,159 lbs
100	100 kW	90 kW	208 to 480 Volts	29 Hrs	167 gal	C4.4 Turbo	6' 5" x 8' 6" x 16' 3"	8,269 lbs
125	132 kW	120 kW	208 to 480 Volts	22.6 Hrs	167 gal	CAT 3304 TA	6' 10" x 7' 8" x 16' 8"	8,191 lbs
175	175 kW	157.5 kW	208 to 480 Volts	20 Hrs	261 gal	C6.6 ATAAC	6' 5" x 8' 4" x 17' 4"	10,605 lbs
200	200 kW	182 kW	208 to 480 Volts	24.3 Hrs	342 gal	C7.1 ATAAC	7' 4" x 8' 5" x 19' 9"	11,660 lbs
230	230 kW	210 kW	208 to 480 Volts	23.4 Hrs	400 gal	C9 8'	4" x 9' 6" x 20' 6"	16,550 lbs
300	300 kW	275 kW	208 to 480 Volts	18.6 Hrs	400 gal	C9 8'	4" x 9' 6" x 20' 6"	16,550 lbs
350	350 kW	320 kW	208 to 480 Volts	29 Hrs	520 gal	C13 Tier 4 Interim	8' 6" x 10' 6" x 23' 7"	22,130 lbs
400	400 kW	365 kW	208 to 480 Volts	17.5 Hrs	520 gal	C15 ATAAC	8' 6" x 11' 0" x 22' 11"	21,300 lbs
500	500 kW	455 kW	208 to 480 Volts	21 Hrs	700 gal	C15 Tier 4 Interim	8' 0" x 12' 6" x 20' 0"	35,045 lbs
600	600 kW	545 kW	208 to 480 Volts	14 Hrs	428 gal	C18 Tier II ATAAC	8' 0" x 9' 6" x 20' 0"	36,000 lbs
800	795 kW	725 kW	208 to 480 Volts	23 Hrs	1250 gal	C27 Tier 4 Interim	8' 0" x 13' 6" x 30' 0"	49,000 lbs
1000	1000 kW	910 kW	208 to 480 Volts	18.75 Hrs	1250 gal	C32 Tier II ATAAC	8' 0" x 9' 6" x 30' 0"	47,000 lbs
2000	2000 kW	1825 kW	208 to 480 Volts	9.8 Hrs	1250 gal	3516 Tier II ATAAC	8' 0" x 9' 6" x 40' 0"	93,000 lbs

2500 KVA TRANSFORMER



SIZE	2500 kVA
Voltage Primary	2400 / 4140 / 7200 / 12000-14000
Voltage Secondary	277 / 480
Connections	Two Hole Lug

DISTRIBUTION CABLES


4/0 CAMLOC CABLE	2/5 BANDED CABLE	100/200 AMP PANEL	400 - 1200 AMP I-LINE PANEL

ACCESSORIES – RENTAL POWER

- Cables
- Cable Ramps
- Electric Panels
- Fuel Tanks
- Load Banks
- Uninterruptible Power Systems (UPS)

Altorfer Power Systems can match you with the equipment you need to stay productive, no matter what planned or unplanned challenges you face.





BARTONVILLE, IL

Power Systems
6315 W. Fauber Road
Bartonville, IL 61607
(309) 697-1234

CHAMPAIGN, IL

Rental Store
808 W Bradley Avenue
Champaign, IL 61820
(217) 239-0744

DECATUR, IL

Rental Store
2425 Hubbard Avenue
Decatur, IL 62526
(217) 875-0909

EAST PEORIA, IL

Heavy Construction
1 Capitol Drive
East Peoria, IL 61611
(309) 694-1234

EAST PEORIA, IL

Power Systems
101 Pinecrest Drive
East Peoria, IL 61611
(309) 427-1234

EAST PEORIA, IL

Rental Store
601 Richland Street
East Peoria, IL 61611
(309) 694-9898

ELMHURST, IL

Heavy Construction
635 West Lake Street
Elmhurst, IL 60126
(630) 279-4400

ELMHURST, IL

Power Systems
615 West Lake Street
Elmhurst, IL 60126
(630) 530-2200

ELMHURST, IL

Rental Store
625 West Lake Street
Elmhurst, IL 60126
(630) 758-1222

JOLIET, IL

Rental Store /
Power Systems /
Heavy Construction
16822 W. Laraway Road
Joliet, IL 60433
(815) 726-4248

OGLESBY, IL

Rental Store /
Heavy Construction /
Power Systems
590 Mayer Street
Oglesby, IL 61348
(815) 883-3336

ROCKFORD, IL

Heavy Construction /
Rental Store /
Power Systems /
5055 South Main Street
Rockford, IL 61102
(815) 965-8631

SPRINGFIELD, IL

Rental Store /
Heavy Construction
4949 International Pkwy.
Springfield, IL 62711
(217) 529-5541

URBANA, IL

Heavy Construction
1519 West Kenyon Road
Urbana, IL 61801
(217) 359-1671

WAUCONDA, IL

Rental Store /
Power Systems /
Heavy Construction
700 Patten Drive
Wauconda, IL 60084
(847) 469-1320

HAMMOND, IN

Rental Store /
Heavy Construction /
Power Systems
6400 Indianapolis Blvd.
Hammond, IN 46320
(219) 932-6600

BETTENDORF, IA

Rental Store
5909 State Street
Bettendorf, IA 52722
(563) 355-9898

CEDAR FALLS, IA

Rental Store
5420 Nordic Drive
Cedar Falls, IA 50613
(319) 268-1490

CEDAR RAPIDS, IA

Heavy Construction /
Corporate Headquarters
2600 6th Street S.W.
Cedar Rapids, IA 52404
(319) 365-0551

CEDAR RAPIDS, IA

Rental Store & Lift Trucks
6605 6th Street S.W.
Cedar Rapids, IA 52404
Rental: **(319) 364-9898**
Lift Truck: **(319) 363-2882**

CEDAR RAPIDS, IA

Truck Shop / Power Systems
2550 6th Street S.W.
Cedar Rapids, IA 52404
(319) 365-6500

DAVENPORT, IA

Heavy Construction
4712 Buckeye Street
Davenport, IA 52802
(563) 324-1935

DAVENPORT, IA

Lift Trucks
3888 W River Drive
Davenport, IA 52802
(563) 326-3513

DUBUQUE, IA

Rental Store
1025 Cedar Cross Road
Dubuque, IA 52003
(563) 556-3378

WEST BURLINGTON, IA

Rental Store
118 E Agency Road
West Burlington, IA 52655
(319) 752-6123

HANNIBAL, MO

Heavy Construction
3520 Moberly Avenue
Hannibal, MO 63401
(573) 221-8600

MOBERLY, MO

Heavy Construction
701 W Highway 24
Moberly, MO 65270
(660) 263-8200

